PITHAPUR RAJAH'S GOVERNMENT COLLEGE ,KAKINADA DEPARTMENT OF MATHEMATICS



Laveti. Surya Bala Ratna Bhanu M.Sc, B.Ed Lecturer in Mathematics

Phone:7330946793,9704768781.

Email: bhanuasdgdc@gmail.com

Paper III - Abstract Algebra

Unit I - Groups

1.8 – Order of an element of a group (Index: 2.3.3.1.8)

Handout

Order of an element of a group: Let (G,\cdot) be a group and a be any element of G.

Then the order of the element a is defined as the least positive integer n such that $a^n = e$.

If there exists no positive integer n such that $a^n = e$, then we say that a is of infinite order or zero order.

We denote the order of a by $\mathbf{O}(a)$ or |a|.

Example:

- If $G = \{1, -1\}$ then G is a finite group under usual multiplication. Here O(1) = 1 & O(-1) = 2 since $(-1)^2 = 1$.
- If $G = \{1, \omega, \omega^2\}$ then G is a finite group under usual multiplication. Here $\mathbf{O}(\mathbf{1}) = \mathbf{1} \& \mathbf{O}(\boldsymbol{\omega}) = \mathbf{3} \ (\because (\omega)^3 = 1 \text{ and } \mathbf{O}(\boldsymbol{\omega}^2) = \mathbf{1}(\because (\omega^2)^3 = 1)$

POINTS TO REMEMBER:

- The order of every element of a finite group is finite and is less than or equal to the order of the group.
- In a group G, if $a \in G$, then $O(a) = O(a^{-1})$.
- If a is an element of a group G such that O(a) = n then

$$a^m = e iff n/m$$

Problem: The order of every element of a finite group is finite and is less than or equal to the order of the group.

Proof: Let (G, .) be a finite group ,let $a \in G$, by closure law we have $a^2, a^3, a^4, ... \in G$ since G is finite ,all the positive integral powers of a.

Let $a^r = a^s$ where r,s $\in N$ and r>s

$$\therefore a^r = a^s \Rightarrow a^{r-s} = a^0 = e \Rightarrow a^m = e$$
 where r-s=m

Since r > s, m is a positive integers

 $\therefore \exists$ a positive integers m such that $a^m = e$

Hence if n is the positive integral value of m such that $a^n = e$, then O(a) = n

 $\therefore O(a)$ is finite.

Now to prove that $O(a) \leq O(G)$

If possible let O(a) > O(G).

Let O(a) = n by closure we have a^2 , a^3 , a^4 , $\in G$

No those two elements are equal ,for if possible Let $a^r = a^s$ then $a^{r-s} = e$ since 0 < r - s < n, 0(a) < n which is contradiction

Hence the n elements a^2 , a^3 , a^4 , $\in G$ are distinct elements of G

Hence $O(a) \leq O(G)$

Theorem: The order of any positive integral power of an element a in a group G cannot exceed the order of a i.e in a group $G,O(a^{m)} \le O(a), a \in G$ and $m \in N$.

Proof: Let O(a) = n. if m is a positive integer ,then $a^m \in G.O(a) = n$, $a^n = e \Rightarrow (a^n)^m = e^m \Rightarrow a^{mn} = e \Rightarrow (a^m)^n = e$

$$\therefore \, \mathcal{O}(a^m) \leq n \Rightarrow \mathcal{O}(a^m) \leq \mathcal{O}(a)$$

Exercise Problems:

- For any two elements $a,b \in G$ where G is a group then $O(a) = O(b^{-1}ab)$
- > Show that all groups of order 4 and less are commutative.
- If a is an element of a group G such that O(a) = n, then $a^m = e$ iff n/m

References:

- 1. A Text Book of B.Sc. Mathematics, Vol-II, S. Chand & Co.
- 2. Abstract Algebra by J.B.Fraleigh
- 3. https://prgc.ac.in/department-5-studyresources
- 4. http://ccelms.ap.gov.in/rusa/